

# Material Safety Data Sheet

## ANTI-CORROSION GREASE

### 1. Identification of the material and supplier

#### Names

**Product name** : ANTI-CORROSION GREASE  
**Product code** : 92 802867Q1  
**ADG** : -  
**SDS #** : 1516

#### Supplier

**Supplier** : Mercury Marine  
41-71 Bessemer Drive  
Dandenong South, Victoria 3175  
Australia  
Tel: +61 3 9791 5822

**Emergency telephone number** : CHEMTREC  
U.S. and Canada - 800.424.9300  
Outside the U.S. and Canada - +01 703.527.3887  
Sydney Chemtrec: +61 2 9037 2994

#### Uses

**Area of application** : Industrial applications.  
**Material uses** : Lubricants; grease  
**Product type** : Solid.

### 2. Hazards identification

**Classification** : Not regulated.  
**Risk phrases** : Not classified.  
**Statement of hazardous/dangerous nature** : NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

### 3. Composition/information on ingredients

**Mixture** : Yes.

Ingredient name	CAS number	Concentration
Distillates (petroleum), solvent-refined heavy paraffinic (<3% DMSO Extractables by IP346 test method)	64741-88-4	15-30
Distillates (petroleum), solvent-dewaxed heavy paraffinic (<3% DMSO Extractables by IP346 test method)	64742-65-0	15-30
Mineral oil.	-	15-30
Calcium carbonate	471-34-1	10-20
Residual oils (petroleum,) solvent-refined (<3% DMSO Extractables by IP346 test method)	64742-01-4	1-5

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

## 4. First aid measures

### First aid measures

- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.
- Advice to doctor** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  
No specific fire or explosion hazard.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

## 7. Handling and storage

**Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), solvent-refined heavy paraffinic (<3% DMSO Extractables by IP346 test method)	<b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (<3% DMSO Extractables by IP346 test method)	<b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.
Mineral oil.	<b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.
Calcium carbonate	<b>EH40/2005 WELs (United Kingdom (UK), 8/2007).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: inhalable dust TWA: 4 mg/m <sup>3</sup> 8 hour(s). Form: respirable dust
Residual oils (petroleum,) solvent-refined (<3% DMSO Extractables by IP346 test method)	<b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### Exposure controls

- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## 8. Exposure controls/personal protection

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

**Physical state** : Solid. [grease]  
**Color** : Silver.  
**Odor** : Mild. Petroleum oil  
**Boiling point** : Not available.  
**Melting point** : Not available.  
**Vapor pressure** : Not available.  
**Density** : 0.98 g/cm<sup>3</sup>  
**Flash point** : Not available.  
**Flammable limits** : Not available.  
**Vapor density** : Not available.  
**pH** : Not available.  
**Viscosity** : Not available.  
**Auto-ignition temperature** : Not available.  
**Evaporation rate** : Not available.  
**Solubility** : Insoluble in the following materials: cold water and hot water.

## 10. Stability and reactivity

**Chemical stability** : The product is stable.  
**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.  
**Conditions to avoid** : No specific data.  
**Materials to avoid** : No specific data.  
**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Potential acute health effects

**Inhalation** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Eye contact** : No known significant effects or critical hazards.

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), solvent-dewaxed heavy paraffinic (<3% DMSO Extractables by IP346 test method)	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Mineral oil.	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-

**Conclusion/Summary** : Irritating to eyes and skin. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

### Potential chronic health effects

**Date of issue/Date of revision** : 11/29/2011.

**Page:** 4/7

## 11. Toxicological information

### Chronic toxicity

**Conclusion/Summary** : Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

### Conclusion/Summary

**Skin** : No significant irritation expected other than possible mechanical irritation.

**Eyes** : No significant irritation expected other than possible mechanical irritation.

**Respiratory** : Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

### Sensitizer

#### Conclusion/Summary

**Skin** : No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

**Respiratory** : Sensitization not suspected for humans.

### Carcinogenicity

**Conclusion/Summary** : There are no data available on the preparation itself. Carcinogenicity not suspected for humans.

### Mutagenicity

**Conclusion/Summary** : There are no data available on the preparation itself. Mutagenicity not suspected for humans.

### Teratogenicity

**Conclusion/Summary** : There are no data available on the preparation itself. Teratogenicity not suspected for humans.

### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the preparation itself. Not considered to be dangerous to humans, according to our database.

**Chronic effects** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Inhalation** : No specific data.

**Ingestion** : No specific data.

**Skin** : No specific data.

**Eyes** : No specific data.

## 12. Ecological information

**Ecotoxicity** : Not readily biodegradable.

### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Calcium carbonate	Acute LC50 >56000000 ug/L Fresh water	Fish - Gambusia affinis - Adult	96 hours

**Conclusion/Summary** : There are no data available on the preparation itself.

### Other ecological information

#### Persistence/degradability

## 12. Ecological information

**Conclusion/Summary** : This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
ANTI-CORROSION GREASE	-	-	Not readily
Mineral oil.	-	-	Not readily

**Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
ADR	Not regulated.	-	-	-		-
IMDG	Not regulated.	-	-	-		-
IATA	Not regulated.	-	-	-		-

PG\* : Packing group

## 15. Regulatory information

### Standard for the Uniform Scheduling of Drugs and Poisons

Not regulated.

### Control of Scheduled Carcinogenic Substances

No listed substance

**Australia inventory (AICS)** : All components are listed or exempted.

**International lists** : **Australia inventory (AICS)**: All components are listed or exempted.  
**China inventory (IECSC)**: All components are listed or exempted.  
**Japan inventory**: Not determined.  
**Korea inventory**: All components are listed or exempted.  
**New Zealand Inventory of Chemicals (NZIoC)**: All components are listed or exempted.  
**Philippines inventory (PICCS)**: All components are listed or exempted.  
**Europe inventory** : All components are listed or exempted.

**EU Classification** : Not classified.

**HCS Classification** : Irritating material

## 16. Other information

**Date of issue/ Date of revision** : 11/29/2011.

**Version** : 0.01

**Date of previous issue** : No previous validation.

✔ Indicates information that has changed from previously issued version.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.